



## Intranet Solution

**HELP**

**RESULTS**

**SEARCH  
FORM**

### 1997-544752 : Hand collision detection apparatus of machine tool attached to ram

Document 12 of 15

**PREVIOUS**

**NEXT**

**Title**

Hand collision detection apparatus of machine tool attached to rams includes hand end induction coil and body side induction coil provided in respective processing head and ram sides at air interval

**Patentee(s)**

(TOSI ) TOSHIBA MACHINE CO LTD

**Inventor(s)**

**Abstract**


JP-09262744 A; The apparatus includes a processing head (17) with a **tool** (21), provided on a movable ram (15). A processing head is capable of rotating about a central axle line of the ram. If the junction part of the ram and the processing head, a ram side **induction** coil (33) and a head end **induction** coil (31) are provided at the respective side in a gap. An ON/OFF switch (2a) which is connected in series with the head end **induction** coil is provided in **tool** side end of the processing head. An AC **power** supply unit which acts as a **power** source for head end **induction** coil and a collision detection signal processing circuits are provided in **tool** side of the processing head. A collision detection (23) is provided, which detects the collision that is the operation state of the ON/OFF switch, based on the variation in the impedance value of the head end **induction** coil which is magnetically coupled with the body side **induction** coil and outputs impedance change to the collision detection signal processor.;

**Use/Advantage**

Enables free rotation of processing head. Eliminates use of exclusive power supply battery, for collision detection sensor. Improves accuracy of apparatus.

Patent Family	Country & No.	Date	Kind	Derwent Week
	JP-09262744	07-Oct-1997	A	DW.199750
Priority	Country & No.	Date		
	JP-0074418	28-Mar-1996		
Application	Country & No.	Date		
	JP-0074418	28-Mar-1996		
IPC	B23Q-017/22			
Derwent Class(es)	P56; S02; T01; X25;			
Primary Accession Number	1997-544752			

Country: JPA - Patent No.: 09262744 - Image No.: 1 [\[Hi Res Image\]](#)



**RESULTS**

Document 12 of 15

**PREVIOUS**

**NEXT**

For Internal Use Only - © Derwent Information Limited (1999)

DIS v1.7 - For Internal Use Only - © Derwent Information Limited (1999) - Email:  
Admin.BPIS@de.bosch.com

This service is now operational.



## Intranet Solution

**HELP**

**RESULTS**

**SEARCH  
FORM**

### 1998-514381 : Electric power supply apparatus of industrial machine

Document 10 of 15

**PREVIOUS**

**NEXT**

**Title** Electric power supply apparatus of industrial machine has electric power feed zone which forms inductive coupling in order to supply electric power to drive mechanism in tool holder, and to detection mechanism that detects operating state of drive mechanism

**Patentee(s)** (MASU/) MASUDA Y; (NTEN-) NT ENG KK

**Inventor(s)**

**Abstract** JP-10225836 A; The apparatus (10) has an electric power feed zone (20) for rotatable tool holder (18). A drive mechanism for performing predetermined work is provided on the tool holder. A detection mechanism which detects the operating state of the drive mechanism is built in the electric power feed zone. The electric power feed zone forms an inductive coupling to the tool holder in order to supply electric power to the drive mechanism and detection mechanism. Preferably, a controller (22) regulates the drive mechanism by performing radio communication with the tool holder, based on the information from the detection mechanism.;

**Use/Advantage** Ensures reliably supply of desired electric power to drive mechanism and detection mechanism. Size of tool holder is reduced since need for accommodating battery for power supply by tool holder becomes unnecessary.

Patent Family	Country & No.	Date	Kind	Derwent Week
	JP-10225836	25-Aug-1998	A	DW.199844

Priority	Country & No.	Date
	JP-0067171	14-Feb-1997

Application	Country & No.	Date
	JP-0067171	14-Feb-1997


**IPC** B23B-029/034; B23Q-003/12; B23Q-017/00; H02J-017/00

**Derwent Class(es)** P54; P56; U24; X12;

**Primary** 1998-514381

**Accession  
Number**

Country: JPA - Patent No.: 10225836 - Image No.: 1 [[Hi Res](#)  
[Image](#)]



## RESULTS

Document 10 of 15

**PREVIOUS**

**NEXT**

For Internal Use Only - © Derwent Information Limited (1999)

DIS v1.7 - For Internal Use Only - © Derwent Information Limited (1999) - Email: [Admin.BPIS@de.b](mailto:Admin.BPIS@de.b)  
This service is now operational.